



Condition 13 - Disinfestation by Methyl Bromide Fumigation

This Condition applies to all Queensland fruit fly host material and all Mediterranean fruit fly host material for which Methyl Bromide is an accepted treatment, as described in the Index of Conditions of Entry / Regulated Movement in Section 4 of this Standard.

Fruit fly host material may be fumigated by a licensed fumigator at the following pulp temperatures and rates:

1. For all accepted Queensland fruit fly hosts
 - (1) 17°C – 20.9°C @ 40 g/m³ for 2 hrs; or
 - (2) 21°C - 31.9°C @ 32 g/m³ for 2 hrs;
2. For all accepted Mediterranean fruit fly hosts
 - (1) 10°C - 10.9°C @ 56 g/m³ for 2 hrs; or
 - (2) 11°C - 15.9°C @ 48 g/m³ for 2 hrs; or
 - (3) 16°C - 20.9°C @ 40 g/m³ for 2 hrs; or
 - (4) 21°C - 31.9°C @ 32 g/m³ for 2 hrs.

And

3. Fumigant loading rates for fruits and vegetables are not less than 30%, nor more than 50%, of the volume of the chamber when empty,

And

4. The fumigator ensures produce packaged or covered with impervious materials (such as plastic bags, stacked plastic punnets or waxed paper), are opened, cut or removed to allow adequate penetration of the gas unless impervious materials contain:
 - 4.1 not less than four unobstructed perforations of 6mm diameter per 100cm²; or
 - 4.2 five unobstructed perforations of 5mm diameter per 100cm²; or
 - 4.3 numerous pinholes (at least 6 holes per square centimetre).

Proof: Accompanied by a Plant Health Certificate or a Plant Health Assurance Certificate (ICA04).

Note: *Some fruits may be damaged by this treatment. A trial treatment is recommended unless the response of fruits to this treatment is known.*

Secure transportation requirements apply – see Condition 9.3

For Fact Sheets and information on regulated pests go to following web page;
http://www.pir.sa.gov.au/biosecurity/plant_health/exotic_plant_pest_emergency_response



SECTION 4 - INDEX OF CONDITIONS OF ENTRY / REGULATED MOVEMENT

This is an alpha/numerical index of plant material, equipment and soil which, although potential carriers of declared diseases and pests, may enter South Australia or move within South Australia under specified conditions.

The number(s) opposite each fruit or plant identify the relevant conditions, which are detailed in **Section 5 - Conditions of Entry** of this Standard.

Particular attention is drawn to the requirements for certificates, declarations, and branding/packaging as set out in the Conditions of Entry / Regulated Movement.

The range of fruit fly hosts (**Conditions of Entry – Condition 9 – 14 and Table 2**) is not necessarily complete and any unlisted fruit will be assessed for its status as a host when demand arises. Some pests are specific to particular states or areas, so whilst the following index may indicate a condition/pest it may be the case that it is not applicable to product from some States.

At time of release the following pests applied only to host product from these States:

| | |
|-------------------------------------|---|
| Cucumber Green Mosaic Virus (CGMMV) | host product from NT, WA, NSW and QLD |
| Green Snail (GS) | host product from WA and Victoria |
| Red Imported Fire Ant (RIFA) | host product from QLD |
| Melon Thrip (MT) | host product from, WA (Kununurra only), NT, QLD & NSW |
| Myrtle Rust (MR) | host product from Qld, Victoria, NT, Tasmania & NSW |
| European House Borer (EHB) | host product from WA |
| Pyriform Scale | host product from WA |
| PSTVd | seed potato from Qld and Western Australia |
| Tomato Potato Psyllid (TPP) | host product from WA |
| Zebra Chip (ZC / CLso) | carrier (TTP) present in WA but Clso freedom declared |

PEST CODE LIST

| Abbreviation | Common Name | Scientific Name |
|--------------|--|---|
| BR | Blueberry Rust | <i>Thekopsora minima</i> |
| BS | Boil Smut of Maize | <i>Ustilago maydis</i> |
| BW | Bacterial Wilt of Potato | <i>Ralstonia solanacearum</i> Race 3 |
| CB | Citrus Blight | (unknown causal agent) |
| CC | Citrus Canker | <i>Xanthomonas axonopodis</i> pv. <i>citri</i> |
| CRM | Citrus Red Mite | <i>Panonychus citri</i> |
| CTV | Citrus Tristeza Virus – sweet orange stem pitting strain | <i>Citrus tristeza closterovirus</i> – sweet orange stem pitting strain |
| CGMMV | Cucumber Green Mottle Mosaic Virus | <i>Cucumber green mottle mosaic tobamovirus</i> |
| EHB | European House Borer | <i>Hylotrupes bajulus</i> |
| FB | Fire Blight | <i>Erwinia amylovora</i> |
| FW | Fusarium Wilt | <i>Fusarium oxysporum</i> f.sp. <i>lycopersicon</i> Race 3 |
| GS | Green Snail | <i>Helix aperta</i> |
| LA | Lupin Anthracnose | <i>Colletotrichum gloeosporioides</i> |
| MFF | Mediterranean Fruit Fly | <i>Ceratitis capitata</i> |
| MT | Melon Thrip | <i>Thrips palmi</i> |
| MR | Myrtle Rust | <i>Puccinia psidii</i> , previously <i>Uredo rangelii</i> |
| PDS | Parlatorial Date Scale | <i>Parlatoria blanchardii</i> , |
| PCN | Potato Cyst Nematode | <i>Globodera pallida</i> |
| PFS | Pyriform Scale | <i>Protopulvinaria pyriformis</i> |
| PHY | Grape Phylloxera | <i>Daktulosphaira vitifoliae</i> |
| PSTVd | Potato Spindle Tuber Viroid | <i>Potato spindle tuber pospiviroid</i> |
| QFF | Queensland Fruit Fly | <i>Bactrocera tryoni</i> |
| RIFA | Fire Ant | <i>Solenopsis invicta</i> |
| TPP / ZC | Tomato Potato Psyllid | <i>Bactericera cockerelli</i> |
| ZC (CLso) | Zebra Chip | <i>Candidatus Liberibacter solanacearum</i> |

A fact sheet for each pest regulated in the PQS is available at

http://www.pir.sa.gov.au/biosecurity/plant_health/exotic_plant_pest_emergency_response



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|--|---|-----------------------|----------------|----------------------------------|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Abiu (Caimito) | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Acerola | 9, 12, 13, 14, | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Achachairu | 9, 10 ,11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| <i>Allium</i> spp (onion, leek, spring onion, garlic, shallots, etc (unless peeled and washed) | 23, 20 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Almond (Green only) | 9, 11, 12, 13, 14,17 | 2, 17, 20, 23, 25 | | MFF, RIFA, GS, PFS, TPP |
| Apple | 9, 11, 12, 13, 14, 17, 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Apricot | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Aquatic plants | Refer to www.pir.sa.gov.au/biosecuritysa/nrm_biosecurity | | | |
| Asparagus | 17, 23 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Avocado | 9, 10 ,11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Babaco | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Banana | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Beans | 16, 17, 23 | 2, 16, 17, 20, 23, 25 | | RIFA, MT, GS, PFS, TPP |
| Breadfruit / Breadnut | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, RIFA, GS, PFS, TPP |
| Blackberry | 9, 11, 12, 13, 14, 17, 28 | 2, 17, 20, 23, 28 | | MFF, QFF, RIFA, GS, FB, TPP |
| Black Sapote (Chocolate Persimmon) | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Blueberry | 1, 9, 11, 12, 13, 14, 17 | 1, 2, 17, 20, 23 | 1 | MFF, QFF, BR, RIFA GS, TPP |
| Caimito (Star Apple / Abiu) | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Cape Gooseberry | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Capsicum/Chillies | 9, 12, 13, 14, 16, 17 | 2, 16, 17, 20, 23 | | MFF, QFF, MT, RIFA, TPP, GS, TPP |
| Carambola, (Star fruit, Star apple) | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Cashew Apple | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Casimiroa (White Sapote) | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Cherry / Cherry, Brazil | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Chinese Gooseberry (Kiwifruit) | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|---|---|-----------------------------|----------------|--|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Chives | 17, 23 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Choko | 14, 16, 17 | 2, 16, 17, 20, 23 | | MT, RIFA, GS, TPP |
| Citrus (see interpretations) | 9,10 (Tahitian lime),11, 12, 13, 14, 17, 29 | 2, 3, 5, 17, 20, 23, 25, 29 | | MFF, QFF, RIFA, GS, CTV, CB, CRM, PFS, TPP, CC |
| Coffee Berry | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Cranberry | 1, | 1, 2, 17 | | BR, RIFA, TPP |
| Cucumber | 14, 16, 17 | 2,16, 17, 20, 23, | | MT, RIFA, GS, , TPP |
| Cucurbits | 14, 16, 17 | 2, 16, 17, 20, 23, | 24 | MT, RIFA, GS, CGMMV, TPP |
| Custard Apple (<i>Annona</i> spp. and Rollinia) Cherimoya, Sugar Apple / Sweetsop / Soursop / Ramphala/, Atemoya | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Cut flowers | | 1, 17, 23, 26 | | BR, TPP/CLso, GS, MR |
| Dates | 9,11,12, 13,14 | 2, 22, 20, 23 | | MFF, QFF, PDS, RIFA, GS |
| Dragon fruit (Pitaya) | 9,11, 12, 13, 14, 16, 17 | 2, 16, 17, 20, 23, 25 | | MFF, QFF, MT, RIFA, GS, PFS, TPP |
| Durian | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Eggplant (Eggfruit, Aubergine) | 9, 12, 13, 14, 16, 17 | 2, 16, 20, 23, 17 | | MFF, QFF, MT, RIFA, GS, TPP |
| Equipment for grape production | | | 7 | PHY |
| Feijoa | 9, 11, 12, 13, 14, 17, 26 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, MR, RIFA, GS, PFS, TPP |
| Fig | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Fire Blight Hosts – see listing condition 28 | 9, 11, 12, 13, 14, 17, 28 | 2, 17, 20, 23, 25, 28 | | FBB, MFF, QFF, RIFA, GS, PFS, TPP |
| Fodder / Hay | | 2, 23 | 2, 23 | GS, RIFA |
| Fruit Fly Hosts (not specifically listed) | 9, 10, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Garlic | | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Gourds, Bitter (<i>Momordica charantia</i>) Bottle (<i>Lagenaria siceraria</i>) and Gourd, winter/white (hairy/winter melon) (<i>Benincasa hispida</i>) | 13, 14, 16, 17 | 2, 17, 20, 23, | | RIFA, MT, GS, , TPP |
| Grapes (Table) | 7, 9, 11, 12, 13, 14 | 7, 17 | 2, 7 | MFF, QFF, PHY, RIFA, TPP |
| Grapes (Wine) | 7, 9, 11, 12, 13 | 7, 17 | 2, 7 | MFF, QFF, PHY, RIFA, TPP |
| Grape marc & Grape must | | | 7 | PHY |



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|--|-------------------------------|-----------------------------|-----------------------|----------------------------------|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Grapevines | | 7, 17, 23 | | PHY, GS, TPP |
| Grapevine Diagnostics and Vineyard soils | | | 7 | Various |
| Grapevine tissue cultures | | 7 | | PHY |
| Grumichama / Brazil Cherry | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Guava | 9, 11, 12, 13, 14, 17, 26 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, MR, RIFA, GS, PFS, TPP |
| Hay / Fodder | | 2, 23 | 2, 23 | GS, RIFA |
| Herbs (fresh) | 17, 23 | 2, 17, 20, 23, 25 | 2, 23 | RIFA, GS, PFS, TPP |
| Hog Plum | 9, 10, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Huckleberry | 1, | 1, 2, 17 | 1 | BR, RIFA, TPP |
| Jaboticaba | 9, 10, 11, 12, 13, 14 | 2, 17, 20, 23, 25, 26 | 26 | MFF, QFF, RIFA, GS, MR, PFS, TPP |
| Jackfruit | 9, 10, 12, 13, 14 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Jambu / Wax Jambu / Rose Apple / Water Apple | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, RIFA, GS, MR, PFS, TPP |
| Jujube | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, RIFA, GS, MR, PFS, TPP |
| Kiwifruit (Chinese gooseberry) | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Leaf vegetables (cabbage, lettuce, cauliflower, broccoli etc) | 17, 23 | 2, 17, 20, 23 | | GS, RIFA, TPP |
| Leeks | 17, 23 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Lettuce | 17, 23 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Longan | 9, 10, 12, 13, 14 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Loganberry | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Lime – including Finger Lime | 9, 12, 13, 14, 17, 29 | 2, 17, 20, 23, 25, 29 | | MFF, QFF, RIFA, GS, PFS, TPP, CC |
| Loofah, smooth (<i>Luffa cylindrica</i>) and Loofah, angled/ridged. sinquar (<i>Luffa acutangula</i>) | 9, 12, 13, 14, 16, 17 | 2, 17, 20, 23 | | MFF, RIFA, MT, GS, TPP |
| Loquat | 9, 11, 12, 13, 14, 17, 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Lychee (Litchi Litchi) | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Machines and Equipment | | | 2, 7, 17, 18, 18A, 27 | RIFA, PHY, PCN, PSTVd, , TPP |



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|---|--|-------------------------------------|-----------------------|--|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Maize (seed only) | | | 15 | BS |
| Mango | 9, 12, 13, 14 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Mangosteen | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Medlar | 9, 11, 12, 14, 17, 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Melons (watermelon, rockmelon, long etc) | 14, 16, 17 | 2, 16, 17, 20, 23, | | MT, RIFA, GS, , TPP |
| Mulberry | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Myrtaceae Family Includes seeds, bark chips and firewood | 26 | 2, 17, 20, 23, 25, 26 | 26 | MR, RIFA, PFS GS, TPP |
| Nectarine | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Okra | 16, 17 | 2, 16, 17, 20, 23, 25 | | RIFA, MT, GS, PFS, TPP |
| Olive | 9, 11, 12, 13, 14, 17 | 2, 20, 17, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Onions (seed & fresh unless peeled & washed) | | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Passionfruit / Granadilla | 9, 10 (purple type only), 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Pawpaw (Papaw, Papaya) | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Peach / Peacharine | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Pear / Nashi | 9, 11, 12, 13, 14, 17, 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Peas | 16, 17, 23 | 2, 16, 17, 20, 23, 25 | | RIFA, MT, GS, PFS, TPP |
| Persimmon | 9, 11, 12 (inedible peel types only), 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Pepino, (Melon Pear) | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, TPP, GS |
| Pineapples | Unrestricted | 2, 17, 20, 23 | | RIFA, GS |
| Plant Diagnostics | | | 6 | Various |
| Plants, general (including household and potted plants) Leafless bare-rooted trees are not deemed a GS host Pine trees and plant material are prohibited from entering KI unless otherwise permitted by the Chief Inspector | | 1, 2, 7, 17, 18, 20, 23, 25, 26, 28 | 28 | BR, MR, PHY, PCN, GS, FB, RIFA, PFS, TPP |



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|---|---|---|-----------------------------|---|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Plum / Plumcot | 9, 11, 12, 13, 14, 17 28 (for <i>Prunus salicina</i>) | 2, 17, 20, 23, 25, and 28 (for <i>Prunus salicina</i>) | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Pome fruits (Apple, Pear, Loquat, Medlar and Quince) | 9, 11, 12, 13, 14, 17 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Pomegranate | 9, 10, 12, 13, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Potatoes Includes Kangaroo Island | 17, 18 | 2, 17, 18, 18A, 23 | 18, 18A | TPP/CLso, PCN, PSTVd, RIFA, GS, BW (KI) |
| Prickly Pear (<i>Opuntia</i> spp only) | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Pumpkins (various) | 16, 17 | 2,16, 17, 20, 23, 24 | | MT, RIFA, GS, , TPP |
| Pummelo (Pomelo, Shaddock) | 9, 12, 14, 17, 29 | 2, 17, 20, 23, 29 | | MFF, QFF, RIFA, GS, TPP, CC |
| Quandong | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, RIFA, GS, MR, PFS, TPP |
| Quince | 9, 11, 12,14, 17, 28 | 2, 17, 20, 23, 25, 28 | 28 | MFF, QFF, FB, RIFA, GS, PFS, TPP |
| Rambutan | 9, 10, 12, 13, 14, 17 | 2, 17, 20, 23, 28 | | MFF, QFF, FB, RIFA, GS, TPP |
| Raspberry | 9, 11, 12, 13, 14, 17 28 | 2, 17, 20, 23, 28 | | MFF, QFF, FB, RIFA, GS, TPP |
| Rooted plants / Root vegetables (including turf, household plants) | 1, 17, 18, 20, 23 | 2, 7, 17, 18, 20, 23, 25, 26 | | BR, PHY, PCN, GS, RIFA, TPP, MR, PFS, TPP |
| Rose Apple / Water Apple | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Sapodilla | 9, 12, 13, 14 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Santol (Lolly Fruit) | 9, 12, 13, 14 | 2, 20, 23 | | MFF, QFF, RIFA, GS |
| Sapote | 9, 12, 13, 14, 17 | 2, 17, 20, 23, 25 | | MFF, QFF, RIFA, GS, PFS, TPP |
| Shallots | | 2, 20, 23 | | RIFA, GS |
| Silverbeet | 16, 17, 23 | 2,16, 17, 20, 23 | | MT, RIFA, GS, TPP |
| Soil (scientific or commercial use) | | | 2, 6, 7, 18, 18A, 20, 23 | PHY, PCN, GS, RIFA, PSTVd |
| Soursop | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Spinach | 16, 17, 23 | 2, 16, 17, 20, 23 | | MT, RIFA, GS, TPP |
| Spring onion | 17, 23 | 2, 17, 20, 23 | | RIFA, GS, TPP |
| Squash (includes zucchini) | 14, 16, 17 | 2,16, 17 20, 23 | | RIFA, MT, GS, TPP |
| Star Apple, Carambola, Star Fruit | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |



| INDEX of CONDITIONS OF ENTRY / REGULATED MOVEMENT (one or more of these conditions may apply) | | | | |
|--|-------------------------------|-----------------------------|-----------------------|--|
| PRODUCT | FRUIT & VEGETABLES | PLANTS & FLOWERS | OTHER PRODUCTS | DISEASE (OR PEST) |
| Stone fruits (Apricot, Cherry, Plum, Peach, Nectarine) | 9, 11, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, GS, TPP |
| Strawberry | 9, 12, 13, 14, 17, 23 | 2, 17, 20, 23 | | QFF, RIFA, GS, TPP |
| Sweet corn | 17 | 2, 17, 20, 23 | 15 | RIFA, GS, BS, TPP |
| Sweet potato | | 2, 17, 20, 23 | 15, 17 | RIFA, GS, BS, TPP/CLso |
| Tahitian Limes | 9, 10, 11, 12, 13, 14, 17, 29 | 2, 3, 5, 17, 20, 23, 25, 29 | | MFF, QFF, RIFA, GS, CTV, CB, CRM, PFS, TPP, CC |
| Tamarillo | 9, 12, 13, 14, 17 | 2, 17, 20, 23 | | MFF, QFF, RIFA, TPP, GS |
| Timber (Coniferous) Needle pine, fir, spruce and includes pallets, firewood, dunnage, furniture etc | | | 4 | EHB |
| Tangor | 9, 12, 13, 14, 17, 29 | 2, 17, 20, 23, 29 | | MFF, QFF, RIFA, GS, TPP, CC |
| Tobacco | | 2, 16, 17, 20, 23 | | RIFA, MT, GS, TPP |
| Tomato | 9, 10, 12, 13, 14, 16, 17 | 2, 16, 17, 21, 23 | | MFF, QFF, RIFA, FW, MT, GS, TPP |
| Turf | | 2, 17, 20, 23, | 2, 20, 23, | RIFA, GS, PHY, PCN, |
| Watermelon | 14, 16 | 2, 16, 20, 23 | | MT, RIFA, GS, |
| Water Apple / Wax Jambu (Rose Apple / Jambu) | 9, 10, 11, 12, 13, 14, 17 | 2, 17, 20, 23, 25, 26 | | MFF, QFF, RIFA, GS, MR, PFS, TPP |
| Zucchini | 14, 16, 17 | 2, 16, 17, 20, 23 | | RIFA, MT, GS, TPP |